

Message

---

**From:** Emilsson, Gunnar [EmilssonGR@cdmsmith.com]  
**Sent:** 5/29/2018 5:21:45 PM  
**To:** Cirian, Mike [Cirian.Mike@epa.gov]  
**Subject:** RE: CFAC Draft Background Investigation Sampling and Analysis Plan

Sounds good.

---

**From:** Cirian, Mike <Cirian.Mike@epa.gov>  
**Sent:** Tuesday, May 29, 2018 11:21 AM  
**To:** Emilsson, Gunnar <EmilssonGR@cdmsmith.com>  
**Subject:** RE: CFAC Draft Background Investigation Sampling and Analysis Plan

Thanks for the note. I will see what I can do for a call?

Mike Cirian, PE  
Libby On-site Project Manager  
US EPA  
108 East 9th Street  
Libby, MT 59923  
(406) 293-6194 Office

---

**From:** Emilsson, Gunnar [<mailto:EmilssonGR@cdmsmith.com>]  
**Sent:** Tuesday, May 29, 2018 11:19 AM  
**To:** Cirian, Mike <Cirian.Mike@epa.gov>  
**Subject:** FW: CFAC Draft Background Investigation Sampling and Analysis Plan

Mike:

FYI. Erin is unavailable to review this document this week, so I am having another one of our risk assessors, Lynn Woodbury, review this, so we can get you comments by the end of this week.

As far as a call, I am in Butte for meetings tomorrow and Thursday. Friday would work best for me.

**Gunnar Emilsson, P.G., P.E., BCEE**  
Project Manager  
CDM Smith  
50 West 14th St., Suite 200, Helena, MT 59601  
T: (406) 441-1422 F: (406) 449-7725 M: (406) 431-3982  
[emilssongr@cdmsmith.com](mailto:emilssongr@cdmsmith.com)  
cdmsmith.com

---

**From:** Michael Ritorto <[mritorto@rouxinc.com](mailto:mritorto@rouxinc.com)>  
**Sent:** Friday, May 25, 2018 12:00 PM  
**To:** Cirian, Mike <Cirian.Mike@epa.gov>  
**Cc:** Emilsson, Gunnar <[EmilssonGR@cdmsmith.com](mailto:EmilssonGR@cdmsmith.com)>; Sanchez, Brian <[sanchez.brian@epa.gov](mailto:sanchez.brian@epa.gov)>; Berry, David <[Berry.David@epa.gov](mailto:Berry.David@epa.gov)>; Dick Sloan <[rsloan@mt.gov](mailto:rsloan@mt.gov)>; John.Stroiazso<[glencore.ca](mailto:John.Stroiazso@glencore.ca)>; Steve Wright - CFAC <[swright@cfaluminum.com](mailto:swright@cfaluminum.com)>; Skipper, Sherry <[Skipper.Sherry@epa.gov](mailto:Skipper.Sherry@epa.gov)>; Andrew Baris <[abaris@rouxinc.com](mailto:abaris@rouxinc.com)>; Laura

Jensen <[jjensen@rouxinc.com](mailto:jjensen@rouxinc.com)>

**Subject:** CFAC Draft Background Investigation Sampling and Analysis Plan

Mr. Cirian,

Attached is the Draft Background Investigation Sampling and Analysis Plan (Background SAP) prepared for the CFAC RI/FS.

As discussed during our onsite meeting in early May, CFAC/Roux plans to complete Round 1 of background sampling during the June high-water sampling event (beginning June 4, 2018). CFAC/Roux would like to setup a conference call with EPA/MDEQ early next week to discuss the background sampling scope and schedule. Please let me know your availability for a call early next week.

Please contact me if you have any questions regarding this submittal.

**Michael Ritorto, P.G. – NY | Principal Hydrogeologist/Office Manager**

209 Shafter Street, Islandia, NY 11749


Main: 631-232-2600 | Direct: 631-630-2370

Email: [mritorto@rouxinc.com](mailto:mritorto@rouxinc.com) | Website: [www.rouxinc.com](http://www.rouxinc.com)



California | Illinois | Massachusetts | New Jersey | New York | Texas



 Please consider the environment before printing this email.

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.